

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	31	"318"/\$ and (current near4 (sens\$4 detect\$4)) and integrat\$4 and (amplify\$4 amplifier) and (current near4 error) and (integrat\$4 near4 (current near4 error))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 20:16
S37	7	"318"/\$ and (current near4 (sens\$4 detect\$4)) and integrat\$4 and (amplify\$4 amplifier) and (current near4 error) and (integrat\$4 near4 (current near4 error)) and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 20:22
S38	32	"318"/\$ and (current near9 (sens\$4 detect\$4 measur\$4 monitor\$4)) and integrat\$4 and (amplify\$4 amplifier opamp (op\$2 adj2 amp) (operational adj2 amplifier)) and (current near9 (difference deviat\$4 error)) and (integrat\$4 near4 (current near9 (difference deviat\$4 error))) and (disc disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 20:48
S39	17	"318"/\$ and (current near9 (sens\$4 detect\$4 measur\$4 monitor\$4)) and integrat\$4 and (amplify\$4 amplifier opamp (op\$2 adj2 amp) (operational adj2 amplifier)) and (current near9 (difference deviat\$4 error)) and (integrat\$4 near4 (current near9 (difference deviat\$4 error))) and (disc disk) and head	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 21:05
S41	41	"318"/\$ and ((voltage current) near9 (sens\$4 detect\$4 measur\$4 monitor\$4)) and integrat\$4 and (amplify\$4 amplifier opamp (op\$2 adj2 amp) (operational adj2 amplifier)) and ((voltage current) near9 (difference deviat\$4 error)) and (integrat\$4 near4 ((voltage current) near9 (difference deviat\$4 error))) and (disc disk) and head	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 21:07
S40	74	"318"/\$ and ((voltage current) near9 (sens\$4 detect\$4 measur\$4 monitor\$4)) and integrat\$4 and (amplify\$4 amplifier opamp (op\$2 adj2 amp) (operational adj2 amplifier)) and ((voltage current) near9 (difference deviat\$4 error)) and (integrat\$4 near4 ((voltage current) near9 (difference deviat\$4 error))) and (disc disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 21:23

## EAST Search History

S43	107	"360"/\$ and ((voltage current) near9 (sens\$4 detect\$4 measur\$4 monitor\$4)) and integrat\$4 and (amplify\$4 amplifier opamp (op\$2 adj2 amp) (operational adj2 amplifier)) and ((voltage current) near9 (difference deviat\$4 error)) and (integrat\$4 near4 ((voltage current) near9 (difference deviat\$4 error))) and (disc disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 22:11
S42	107	"360"/\$ and ((voltage current) near9 (sens\$4 detect\$4 measur\$4 monitor\$4)) and integrat\$4 and (amplify\$4 amplifier opamp (op\$2 adj2 amp) (operational adj2 amplifier)) and ((voltage current) near9 (difference deviat\$4 error)) and (integrat\$4 near4 ((voltage current) near9 (difference deviat\$4 error))) and (disc disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/10/07 22:11

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(head and disk and voice and coil and current and sensor and comparator).clm.	US-PGPUB	OR	ON	2007/10/08 15:27